

Operating Instructions

(Read this manual carefully before using EdegeLight[®] Product)

Shanghai Edge Light Industry Co.,LTD.

TEL:+86-21-64412288

FAX:+86-21-64412266

E-mail: info@cnedgelight.com

Published by EdegeLight[®] Corporation

Copyright 2010 EdegeLight[®] Corporation

All rights reserved.




Operating Instructions

Thank you for buying this EdgeLight[®] product. Please read through these operating instructions so you will know how to operate your unit properly. After you have finished reading the instructions, keep them in a safe place for future reference.

WARNING

This product is not waterproof. To prevent a fire or shock hazard, do not place any container filled with liquid near this equipment or expose it to dripping, splashing, rain or moisture.

IMPORTANT

		
<p>The lightning flash with arrowhead symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.</p>	<p>CAUTION: TO PREVENT THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE COVER (OR BACK). NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.</p>	<p>The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.</p>

INFORMATION TO USER

Alteration or modifications carried out without appropriate authorization may invalidate the user's right to operate the equipment.

SAFETY INSTRUCTIONS

To ensure your personal safety and to maximize the full operating potential of this product, read and follow these safety precautions:

ENVIRONMENT-DO NOT use the unit at places with high levels of dust, high temperature, or high humidity. Please use the unit in a place where it is not subjected to vibrations or shocks.

POWER- Please use correct power as required for this product.

READ INSTRUCTIONS-Read all safety and operating instructions before operating this product.

RETAIN INSTRUCTIONS-Retain the safety and operating instructions for future reference.

FOLLOW INSTRUCTIONS-Follow all operating and use instructions.

HEED WARNINGS-All warnings must be adhered to.

CLEANING-DO NOT use aerosol cleaners. Use only a little alcohol or a damp cloth to clean the exterior housing.

WATER AND MOISTURE-DO NOT use this product near water.

POWER SOURCES- Operate this product from the type of power source indicated on the marking label. If you are not sure of the type of power available, consult Authorized EDGELIGHT™ Dealer.

OVERLOADING-DO NOT overload wall outlets and extension cords. Doing so can result in fire or electric shock.

OBJECT AND LIQUID ENTRY-Never push objects of any kind into this product. Touching dangerous voltage points may cause a short resulting in fire or electric shock. Do not spill liquid of any kind on this product.

CONDENSATION-Moisture will form in the operating section of the product causing performance to be impaired if it is brought from cool surroundings into a warmer environment. If you are moving the unit to a location with a warmer temperature, let the product stand for 1 to 2 hours in the new location before turning it back on.

Operating Instructions

SPECIFICATIONS



AF17 SERIES

Item			Frame size	Viewing size	Thickness	Film size	Packing size	Volume	Gross weight
			mm	mm	mm	mm	cm	m3	Kg
AF17	LED	B0	1452x1048	1382x978	28	1414x1000	162x9x121	0.18	25.1
		B1	1038x755	968x685		1000x707	114x9x85	0.09	13
		B2	745x548	675x478		707x500	84x9x65	0.05	6.8
		A0	1227x889	1157x819		1189x841	134x9x102	0.12	17.7
		A1	889x632	823x566		594x841	100x9x77	0.07	10.4
		A1	632x889	562x819		594x841	100x9x77	0.07	10.4
		A2	642x458	576x392		420x594	73x9x57	0.04	6.9
		A2	458x642	392x576		420x594	73x9x57	0.04	6.9
		A3	468x335	402x269		297x420	58x9x46	0.02	4.7
		A3	335x468	269x402		297x420	58x9x46	0.02	4.7
		A4	345x248	279x182		297x210	50x5x30	0.01	2.8
		Life span				Above 50000h			

INSTALLATION

Graphic Replacement

1. Turn off power
2. Open the four upper covers
3. Remove front board and AD graphic
4. Change AD graphic
5. Place the front board
6. Close the four upper cover

Operating Instructions

Please see as follows:



On the ceiling

1. Measure installation dimension
2. Hang the light box in the right place
 - A. If the wall is made of wood, plastic, aluminium and ε can directly hang the lightbox by lightboxes pendants
 - B. If the wall is made of concrete, brick, marble and so on, you should firstly drill holes in the wall or ceiling and screw expand screws, and then hang the lightbox by lightboxs pendants.
3. Connect the power supplier



Operating Instructions

ACCESSORIES

Operating instruction x 1

Power supply (AC100-240V) x 1

(Various plugs are available for your needs, such as CE, UL, SAA, etc.)



CE



UL



SAA

NOTICE

- * Pay more attention that Slim Light Box not to be crashed. While transporting or working, keep sharp edge or instrument away from Slim Light Box . Use soft & wet textile to clean front board to avoid being scratched. Make sure to use right voltage.
- * Specifications and design subject to possible modifications without notice, due to improvements.

