

Operating Instructions

(Read this manual carefully before using EdgeLight[®] Product)

Shanghai Edge Light Industry Co.,LTD.

TEL:+86-21-64412288

FAX:+86-21-64412266

[E-mail: info@cnelight.com](mailto:info@cnelight.com)

Published by EDGELIGHT Corporation

Copyright 2010 EDGELIGHT Corporation

All rights reserved.

Operating Instructions

Thank you for buying this EdgeLight® product. Please read through these operating instructions so you will know how to operate your unit properly. After you have finished reading these instructions, keep them in a safe place for future reference.

WARNING

This product is not waterproof. To prevent a fire or shock hazard, do not place any containers with liquid near this equipment or expose it to dripping, splashing, rain or moisture.

IMPORTANT



The lightning flash with arrowhead symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.



CAUTION:
TO PREVENT THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE COVER (OR BACK). NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.



The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.

Information to User

Alteration or modifications carried out without appropriate authorization may invalidate the user's right to operate the equipment.

Operating Instructions

SAFETY INSTRUCTIONS

To ensure your personal safety and to maximize the full operating potential of this product, read and follow these safety precautions:

ENVIRONMENT-DO NOT use the unit at places with high levels of dust, high temperature, or high humidity. Please use the unit in a place where it is not subjected to vibrations or shocks.

POWER- Please use correct power as required for this product.

READ INSTRUCTIONS-Read all safety and operating instructions before this product is operated.

RETAIN INSTRUCTIONS-Retain the safety and operating instructions for future reference.

FOLLOW INSTRUCTIONS-Follow all operating and use instructions.

HEED WARNINGS-All warnings must be adhered to.

CLEANING-DO NOT use aerosol cleaners. Use only a little alcohol or a damp cloth to clean the exterior housing.

WATER AND MOISTURE-DO NOT use this product near water.

POWER SOURCES- Operate this product from the type of power source indicated on the marking label. If you are not sure of the type of power available, consult Authorized


OVERLOADING-DO NOT overload wall outlets and extension cords. Doing so can result in fire or electric shock.

OBJECT AND LIQUID ENTRY-Never push objects of any kind into this product. Touching dangerous voltage points may cause a short resulting in fire or electric shock. Do not spill liquid of any kind on this product.

CONDENSATION-Moisture will form in the operating section of the product causing performance to be impaired if it is brought from cool surroundings into a warmer environment. If you are moving the unit to a location with a warmer temperature, let the product stand for 1 to 2 hours in the new location before turning it back on.

Operating Instructions

SPECIFICATIONS




AF5 SERIES

Item			Frame size	Viewing size	Thickness	Film size	Packing size	Volume	Gross weight
			mm	mm		mm	mm		
AF5	T5	600	605x350	600x300	32	605*300	73*9*42	0.03	5.3
		900	905x350	900x300		905*300	100*9*42	0.04	8.6
		1200	1205x350	1200x300		1205*300	134*9*42	0.05	10.7
		1500	1505x352	1500x300		1505*300	162*9*42	0.06	14
		Life span	Above 10000h						
AF5	LED White LED RGB B	300	305x170	300x120	32	305*120	37*9*24	0.01	2.9
		450	455x230	400x180		455*180	52*9*30	0.01	4.3
		600	605x350	600x300		605*300	73*9*42	0.03	5.3
		900	905x350	900x300		905*300	100*9*42	0.04	8.6
		1200	1205x350	1200x300		1205*300	134*9*42	0.05	10.7
		1500	1505x350	1500x300		1505*300	162*9*42	0.06	14
		Life span	Above 50000h						

INSTALLATION

Graphic Replacement



Remove the original image

Stick the new image on LGP

Operating Instructions

Suspension

1. Measure installation dimension
2. Hang the light box in the right place
 - A. If the wall or ceiling is made of wood, plastic, aluminium and so on, you can directly hang the light box by lightboxes pendants
 - B. If the wall or ceiling is made of concrete, brick, marble and so on, you should firstly drill holes in the wall or ceiling and screw expand screws, and then hang the light box by lightboxes pendants.
3. Connect the power supplier



ACCESSORIES

Operating instruction x 1

Power supply (AC100-240V) x 1

(Various plugs are available for your needs, such as CE, UL, SAA, etc.)



CE



UL



SAA

NOTICE

* Pay more attention that Slim Light Box not to be crashed. While transporting or working, keep sharp edge or instrument away from Slim Light Box. Use soft & wet textile to clean front board to avoid being scratched. Make sure to use right voltage.

* Specifications and design subject to possible modifications without notice, due to improvements.



Printed in China

EdgeLight®

