

Operating Instructions

(Read this manual carefully before using EDGELIGHTTM Product)

Shanghai Edge Light Industry Co.,LTD.

Add:3301 South Hongmei Rd., Minhang District,
Shanghai, China ZIP:201108

TEL:+86-21-64412288

FAX:+86-21-64412266

E-mail: info@cnelight.com

Published by EDGELIGHT Corporation

Copyright 2008 EDGELIGHT Corporation

All rights reserved.

Operating Instructions

Thank you for buying this EDGELIGHT™ product. Please read through these operating instructions so you will know how to operate your unit properly. After you have finished reading the instructions, keep them in a safe place for future reference.

WARNING

This product is not waterproof. To prevent a fire or shock hazard, do not place any container filled with liquid near this equipment or expose it to dripping, splashing, rain or moisture.

IMPORTANT



The lightning flash with arrowhead symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.

**CAUTION
DO NOT OPEN**

CAUTION:
TO PREVENT THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE COVER (OR BACK). NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.



The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.

Information to User

Alteration or modifications carried out without appropriate authorization may invalidate the user's right to operate the equipment.

Operating Instructions

SAFETY INSTRUCTIONS

To ensure your personal safety and to maximize the full operating potential of this product, read and follow these safety precautions:

ENVIRONMENT-DO NOT use the unit at places with high levels of dust, high temperature, or high humidity. Please use the unit in a place where it is not subjected to vibrations or shocks.

POWER- Please use correct power as required for this product.

READ INSTRUCTIONS-Read all safety and operating instructions before this product is operated.

RETAIN INSTRUCTIONS-Retain the safety and operating instructions for future reference.

FOLLOW INSTRUCTIONS-Follow all operating and use instructions.

HEED WARNINGS-All warnings must be adhered to.

CLEANING-DO NOT use aerosol cleaners. Use only a little alcohol or a damp cloth to clean the exterior housing.

WATER AND MOISTURE-DO NOT use this product near water.

POWER SOURCES- Operate this product from the type of power source indicated on the marking label. If you are not sure of the type of power available, consult Authorized EDGELIGHT™ Dealer.

OVERLOADING-DO NOT overload wall outlets and extension cords. Doing so can result in fire or electric shock.

OBJECT AND LIQUID ENTRY-Never push objects of any kind into this product. Touching dangerous voltage points may cause a short resulting in fire or electric shock. Do not spill liquid of any kind on this product.

CONDENSATION-Moisture will form in the operating section of the product causing performance to be impaired if it is brought from cool surroundings into a warmer environment. If you are moving the unit to a location with a warmer temperature, let the product stand for 1 to 2 hours in the new location before turning it back on.

Operating Instructions

SPECIFICATIONS




AF5 SERIES

Item		Frame size	Viewing size	Thicknes	Film size	Power supply	Power	
AF5	T5	600	605×350mm	600×300mm	32mm	605*300mm	AC 100-240V	14W
		900	905×350mm	900×300mm		905*300mm	AC 100-240V	21W
		1200	1205×350mm	1200×300mm		1205*300mm	AC 100-240V	28W
		1500	1505×352mm	1500×300mm		1505*300mm	AC 100-240V	35W
	LED (White/ RGB)	300	305×170mm	300×120mm		305*120mm	DC 12V 1A	4W
		450	455×230mm	450×180mm		455*180mm	DC12V 1A	6W
		600	605×350mm	600×300mm		605*300mm	DC12V 1A	8W
		900	905×350mm	900×300mm		905*300mm	DC 12V 1.5A	15W
		1200	1205×350mm	1200×300mm		1205*300mm	DC 12V 2A	20W
		1500	1505×350mm	1500×300mm		1505*300mm	DC 12V 3A	26W
Life span		T5-----Above 10000h			LED-----Above 50000h			

INSTALLATION

Graphic Replacement



Remove the original image

Stick the new Image on LGP

Operating Instructions


Suspension

1. Measure installation dimension
2. Hang the light box in the right place
 - A. If the wall or ceiling is made of wood, plastic, aluminium and so on, you can directly hang the light box by lightboxes pendants
 - B. If the wall or ceiling is made of concrete, brick, marble and so on, you should firstly drill holes in the wall or ceiling and screw expand screws, and then hang the light box by lightboxes pendants.
3. Connect the power supplier




ACCESSORIES

- Operating instruction x 1
Power supply (AC100-240V) x 1
(Various plugs are available for your needs, such as CE, UL, SAA, etc.)



NOTICE

- * Pay more attention that Slim Light Box not to be crashed. While transporting or working, keep sharp edge or instrument away from Slim Light Box . Use soft & wet textile to clean front board to avoid being scratched. Make sure to use right voltage.
- * Specifications and design subject to possible modifications without notice, due to improvements.



Printed in China