

# Operating Instructions

(Read this manual carefully before using EdgeLight<sup>®</sup> Product)

Published by EDGELIGHT Corporation

Copyright 2010 EdgeLight<sup>®</sup> Corporation

All rights reserved.

**Shanghai Edge Light Industry Co.,LTD.**

TEL:+86-21-64412288

FAX:+86-21-64412266

[E-mail: info@cnelight.com](mailto:info@cnelight.com)

## Operating Instructions

Thank you for buying this EdgeLight® product. Please read through these operating instructions so you will know how to operate your unit properly. After you have finished reading the instructions, keep them in a safe place for future reference.

### WARNING

This product is not waterproof. To prevent a fire or shock hazard, do not place any container filled with liquid near this equipment or expose it to dripping, splashing, rain or moisture.

### IMPORTANT



The lightning flash with arrowhead symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.

**CAUTION  
DO NOT OPEN**

**CAUTION:  
TO PREVENT THE RISK OF  
ELECTRIC SHOCK, DO NOT  
REMOVE COVER (OR  
BACK). NO USER-  
SERVICEABLE PARTS  
INSIDE. REFER SERVICING TO  
QUALIFIED SERVICE  
PERSONNEL.**



The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.

### Information to User

Alteration or modifications carried out without appropriate authorization may invalidate the user's right to operate the equipment.

# Operating Instructions

## SAFETY INSTRUCTIONS

To ensure your personal safety and to maximize the full operating potential of your Drive, read and follow these safety precautions:

**ENVIRONMENT-DO NOT** use the unit at places with high levels of dust, high temperature, or high humidity. Please use the unit in a place where it is not subjected to vibrations or shocks.

**POWER-** Please use correct power as required for this product.

**READ INSTRUCTIONS-** Read all safety and operating instructions before the Drive is operated.

**RETAIN INSTRUCTIONS-** Retain the safety and operating instructions for future reference.

**FOLLOW INSTRUCTIONS-** Follow all operating and use instructions.

**HEED WARNINGS-** All warnings must be adhered to.

**CLEANING-DO NOT** use liquid, aerosol cleaners, or alcohol. Use only a damp cloth to clean the exterior housing.

**WATER AND MOISTURE-DO NOT** use this product near water.

**POWER SOURCES-** Operate this product from the type of power source indicated on the marking label. If you are not sure of the type of power available, consult Authorized EDGELIGHT<sup>TM</sup>.

**OVERLOADING-DO NOT** overload wall outlets and extension cords. Doing so can result in fire or electric shock.


**OBJECT AND LIQUID ENTRY-** Never push objects of any kind into this product. Touching dangerous voltage points may cause a short resulting in fire or electric shock. Do not spill liquid of any kind on this product.

**CONDENSATION-** Moisture will form in the operating section of the product causing performance to be impaired if it is brought from cool surroundings into a warmer environment. If you are moving the unit to a location with a warmer temperature, let the product stand for 1 to 2 hours in the new location before turning it back on.

# Operating Instructions

## INSTALLATION

### Graphic Replacement




#### A: On Desk

1. Take out standing leg from the back of panel.
2. Lock the standing leg on the socket
3. Connect the power supplier
4. Turn on the switch

#### B: On the wall

1. Connect the power supplier
2. Hang the light panel on the wall
3. Turn on the switch



# Operating Instructions

## SPECIFICATIONS



PF1-A3

Item No	PF1-A3
Viewing sides	Single
Frame size	495x374mm
Thickness	29mm
Viewing size	411x290mm (16.2"x11.4")
Image size	420x297mm (16.5"x11.7")
Light source	CCFL
Life span	Above 20000h
Color	Silver/Black
Power supply	12V 1.5A
Power	9W
N.W	1.4kg
G.W	1.6kg

## ACCESSORIES

Operating instructions	x 1
Power supply	x 1
Standing leg	x 2

### NOTE:

Specifications and design subject to possible modifications without notice, due to improvements.



Printed in China